

January 19, 2001

State of Utah Division of Oil, Gas & Mining Attention: Lisha Cordova 1594 West North Temple, Suite 1210 Salt Lake City, Utah 84114-5801

Bureau of Land Management Attention: Ed Forsman 170 South 500 West Vernal, Utah 84026

Dear Ed Forsman and Lisha Cordova:

Please find enclosed the APD'S for the following well location's:

Ankerpont #31-175 Jenks #5-153 Shoyo #3-162

If you have any questions please feel free to contact me @ (435)-781-7023.

Sincerely

Chery Cameron

Sr. Regulatory Analyst

SU/CC/WF

Form 3160-3 (August 1999).

UNITE STATES THE INTERIOR DEPARTMEN BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0136

Expires: November 30, 2000

APPLICATION FOR PERMIT TO DRILL	APPLICATION FOR PERMIT TO DRILL OR REENTER				
la. Type of Work	D		0-H62-3018 n, Allotee or Tribe Name		
1a. Type of Work			Tribe		
Type of Well Oil Well Sas Well Other Single Zone Multiple Zone			CA Agreement Name and No.		
		00186			
2. Name of Operator		8. Lease	Name and Well No.		
Coastal Oil & Gas Corporation		Shoy	o #3-162		
3a. Address	3b. Phone No. (include area cod	e) QAPIW	ell No		
P.O. Box 1148, Vernal, UT 84078	(435) -781 -7023	1 4	3-047-33868		
4. Location of Well (Report location clearly and in accordance with any Star At surface 443645 N	te equirements)*	10. Field a	nd Pool, or Exploratory		
At surface NW NE 624902 E		Oura			
	Comments	11.Sec., T	., R., M., or Blk. and Survey or Area		
At proposed prod. zone 525 FNL & 2155 FEL	JAN 2 2	Sect	ion 3-T9S-R21E		
14. Distance in miles and direction from nearest town or post office*		12.County	or Parish 13. State		
8.2 Miles East of Oura	y, Utah	Uintah	Utah		
15. Distance from proposed*		1. Spacing Unit	dedicated to this well		
location to nearest					
property or lease line, ft. 525 ' (Also to nearest drg. unit line, if any)	161.67		323.40		
(Also to hearest dig. unit line, if any)					
18. Distance from proposed location*	19.Proposed Depth	20.BLM/BIA	Sond No. on file		
to nearest well, drilling, completed, applied for, on this lease, ft.					
Refer to Topo "C"	7500'	BLM:U-60)5382-9; BIA:114066-A		
21. Elevations (Show whether DF, KDB, RT, GL, etc.	22. Approximate date work will star	t* 23.E	stimated duration		
4682.6'Ungraded GL	Upon Approval		To Be Determined		
2/	1. Attachments				
			-,		
The following, completed in accordance with the requirements of Onshore Oil	and Gas Order No. 1, shall be attached	d to this form:			
1. Well plat certified by a registered surveyor.	4. Bond to cover the operation	ons unless covere	d by an existing bond on file (see		
2. A Drilling Plan	Item 20 above).				
3. A Surface Use Plan (if the location is on National Forest System Lands, the	e 5. Operator certification.				
SUPO shall be filed with the appropriate Forest Service Office).		formation and/or	plans as may be required by the		
	authorized officer.				
25. Signuature	Name (Printed/Typed)		Date		
m () has (Y) ham as a	Cheryl Cameron		1/18/01		
Title (m)					
Title Sr. Regulatory Analyst Approved by (Schautre) Title Title					
Approved by (Schautre)	Name (Printed/Typed)	······································	Date		
Branda a a la contra la co	BRADLEY G. H	11 1	01-29-01		
Title Activ	Office RECLAMATION SPECI	ALIST III			
Application approval does not warrant or certify that the applicant holds lega	al or equitable title to those rights in t	he subject lease	which would entitle the applicant to		

conduct operations thereon. Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowlingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

^{*(}Instructions on Reverse)

COASTAL OIL & GAS CORP. T9S, R21E, S.L.B.&M. Well location, SHOYO #3-162, located as Sec. 34 shown in the NW 1/4 NE 1/4 of Section 3, T9S, R21E, S.L.B.&M., Uintah County, Utah. **T8S** L2 N&9*31'16"E 2674.46' (Meas.) N89°31'16"E 2677.77' (Meas.) BASIS OF ELEVATION **T9S** 525 BENCH MARK 19EAM LOCATED IN THE SW 1/4 OF SECTION 34, T8S, R21E, S.L.B.&M. TAKEN FROM THE SHOYO #3-162 OURAY SE, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 2155' Elev. Ungraded Ground = 4683 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR. GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4685 FEET. *3,,80,00.00* ,22 10.00N WHITE Set Stone. **Uintah County** SCALE 2644.82' CERTIFICATE THIS IS TO CERTIFY THAT THE ABOVE HAT WAS PRE FIELD NOTES OF ACTUAL SURVEYS WARE THE OR LAND CORRECT TO BEST OF MY KNOWLEDGE AND NOO.01,25"W LINE TABLE LINE DIRCTION LENGTH N89°31'16"E 508.29 REGISTERED LAKIN YURVEYOR N89'31'13"E REDISTRATION NO. 161319 STAGE OF UTAH Set Marked Stone. Set Marked Stone, Untah Engineering Uintah County Cap **Uintah County Cap** 85 SOUTH 200 EAST - VERNAL, UTAH 84078 N89°50'53"E 2639.63' (Meas.) S89°53'E - G.L.O. (Basis of Bearings) LEGEND: (435) 789-1017 2645.58' - (Measured) = 90° SYMBOL SCALE DATE SURVEYED: DATE DRAWN: 1" = 1000'09-19-00 09-23-00 = PROPOSED WELL HEAD. LATITUDE = $40^{\circ}04'15''$ PARTY REFERENCES SECTION CORNERS LOCATED. B.P. LONGITUDE = $109^{\circ}32'08"$ D.K. D.R.B. G.L.O. PLAT = SECTION CORNERS RE-ESTABLISHED. WEATHER FILE (Not Set on Ground) WARM COASTAL OIL & GAS CORP.

COASTAL OIL & GAS CORP.

SHOYO #3-162 SECTION 3, T9S, R21E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88; EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES ON STATE HIGHWAY 88 TO OURAY, UTAH; PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 0.3 MILES FROM OURAY TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 3.4 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHEAST; PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 3.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST; TURN RIGHT AND PROCEED IN A SOUTHEASTERLY DIRECTION APPROXIMATELY 0.6 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHWEST; TURN RIGHT AND PROCEED IN A SOUTHWESTERLY DIRECTION APPROXIMATELY 0.1 MILES TO THE PROPOSED LOCATION.

TOTAL DISTANCE TO VERNAL IS APPROXIMATELY 39.2 MILES.

SHOYO #3-162 NW/NE SECTION 3-T9S-R21E UINTAH COUNTY, UTAH LEASE NUMBER: 14-20-H62-3018

ONSHORE ORDER NO. 1 COASTAL OIL & GAS CORPORATION

DRILLING PROGRAM

1. Estimated Tops of Important Geologic Markers:

<u>Formation</u>	<u>Depth</u>
KB	4695'
Green River	2070'
Wasatch	5390'
Total Depth	7000'

2. Estimated Depths of Anticipated Water, Oil, Gas, or Mineral Formations:

Substance	<u>Formation</u>	<u>Depth</u>
	Green River	2070'
Gas	Wasatch	5390'
Water	N/A	
Other Minerals	N/A	

3. Pressure Control Equipment:

Please see the Natural Buttes Unit Standard Operating Procedure (SOP).

4. **Proposed Casing & Cementing Program:**

Please see the Natural Buttes Unit SOP.

Please refer to the attached Drilling Program.

5. Drilling Fluids Program:

Please see the Natural Buttes Unit SOP.

6. <u>Evaluation Program</u>:

Please see the Natural Buttes Unit SOP.

7. <u>Abnormal Conditions</u>:

Maximum anticipated bottomhole pressure at 7,000' TD approximately equals 2,800 psi (calculated at 0.4 psi/foot).

Maximum anticipated surface pressure equals approximately 1,260 psi (bottomhole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

8. Anticipated Starting Dates & Notification of Operations:

Please see the Natural Buttes Unit SOP.

9. <u>Variances</u>:

Please see the Natural Buttes Unit SOP.

10. Other Information:

Please see the Natural Buttes Unit SOP.

SHOYO #3-162 NW/NE SECTION 3-T9S-R21E UINTAH COUNTY, UTAH LEASE NUMBER: 14-20-H62-3018

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

An onsite inspection was conducted for the Shoyo #3-162 on 1/10/01 at approximately 11:00 a.m. In attendance at the inspection were the following individuals:

Don DeHerrera Coastal Oil & Gas Corporation
Carroll Estes Coastal Oil & Gas Corporation
Carroll Wilson Coastal Oil & Gas Corporation
Clay Einerson Coastal Oil & Gas Corporation
Greg Darlington Bureau of Land Management
Manuel Myore Bureau of Indian Affairs
LuAna Thompson Bureau of Indian Affairs

Alvin Ignacio Ute Tribe

Brandon Bowthorpe Uintah Engineering & Land Surveying

Jim Justice J&L Construction
Gary Scott Jackson Construction

John E. Faucett John E. Faucett Construction

1. Existing Roads:

Refer to Topo Map A for directions to the location.

Refer to Topo Maps A and B for location of access roads within a 2-mile radius.

2. Planned Access Roads:

Please see the Natural Buttes Unit Standard Operating Procedure (SOP).

Refer to Topo Map B for the location of the proposed access road.

3. Location of Existing Wells Within a 1-Mile Radius:

Please refer to Topo Map C.

4. Location of Existing & Proposed Facilities:

Please see the Natural Buttes Unit SOP.

Refer to Topo Map D for the location of the proposed pipeline.

5. Location and Type of Water Supply:

Please see the Natural Buttes Unit SOP.

6. Source of Construction Materials:

Please see the Natural Buttes Unit SOP.

7. Methods of Handling Waste Materials:

Please see the Natural Buttes Unit SOP.

Any produced water from the proposed well will be contained in a water tank and will then be hauled by truck to one of the pre-approved disposal sites: RNI, Sec. 5-T9S-R22E, NBU #159, Sec. 35-T9S-R21E, Ace Oilfield Sec 2-T6S-R20E, MC & MC Sec 12-T6S-R19E,. (Requests in lieu of filing Form 3160-5 after initial production).

8. Ancillary Facilities:

Please see the Natural Buttes Unit SOP.

9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Culvert(s) are to be installed as needed.

A run off diversion for drainage will be constructed as needed.

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

A (12 Mil) liner will be used as discussed during the on-site inspection. The reserve pit will be lined. When the reserve pit is closed, the pit liner will be buried below plow depth.

10. Plans for Reclamation of the Surface:

Please see the Natural Buttes Unit SOP.

11. Surface Ownership:

Ute Indian Tribe P.O. Box 70 Fort Duchesne, Utah 84026 (435)-722-5141

12. Other Information:

A Class III archaeological survey has been conducted for the location and submitted to the Ute Indian Tribe prior to the on-site.

A qualified Archaeologist is to monitor blading of the access road, construction of the location and the trenching of the pipeline as discussed at the on-site inspection.

13. Lessee's or Operators's Representative & Certification:

Cheryl Cameron Sr. Regulatory Analyst Coastal Oil & Gas Corporation P.O. Box 1148 Vernal, UT 84078 (435) 781-7023 Darrell Molnar
Drilling Manager
Coastal Oil & Gas Corporation
9 Greenway Plaza, Suite 2770
Houston, TX 77046
(713) 418-4295

Certification: All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.


The Operator will be fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.


Coastal Oil & Gas Corporation is considered to be the operator of the subject well. Coastal Oil & Gas Corporation agrees to be responsible under terms and conditions of the lease for the operations conducted Upon leased lands.


Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided by Coastal Oil & Gas Corporation Bond #102103, BLM Nationwide Bond #U-605382-9, and BIA Nationwide Bond #114066-A.


I hereby certify that I, or persons under my supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions that currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operations proposed herein will be performed by the Operator, its contractors, and subcontractors in conformity with this plan and the terms and conditions under which it is approved.


Cheryl Cameron Date
















EOP STACK






COASTAL OIL & GAS CORPORATION

DRILLING PROGRAM

Coastal Oil & Gas Corporation **COMPANY NAME** DATE Shoyo 3-162 WELL NAME TD 7,500' MD/TVD FIELD **COUNTY Uintah** STATE Utah ELEVATION 4,695' Ouray ΚB SURFACE LOCATION 525' FNL & 2155' FEL, Section 3 T9S-R21E Straight Hole OBJECTIVE ZONE(S) Wasatch



COASTAL OIL & GAS CORPORATION DRILLING PROGRAM

CASING PROGRAM

							DESIGN FACTO	DRS
	SIZE	INTERVAL	WT.	GR.	CPLG.	BURST	COLLAPSE	TENSION
CONDUCTOR	14"	0-40'						
						2950	1370	263000
SURFACE	8-5/8"	0-450'	24#	K-55	STC	11.69	6.51	4.33
						5350	4960	180000
PRODUCTION*	4-1/2"	0-TD	11.6#	K-55	LTC	2.02	1.27	1.31

- 1) Maximum Anticipated Surface Pressure (MASP) (Conductor and Surface Casings) = (Frac Gradient at Shoe Gas Gradient (0.115 psi/ft))(TVD)
- 2) MASP (Int Casing) = Pore Pressure at Next Casing Point (Gas Gradient x TVD of Next Casing Point x 0.67) (Mud Weight x TVD x 0.052 x 0.33)
- 3) MASP (Prod Casing) = Pore Pressure (Gas Gradient x TVD of Production Interval)

(Burst Assumptions: FG @ 8-5/8" shoe = 13.0 ppg, Max Pore Pressure = 9.0 ppg EMW)

(Collapse Assumption: Fully Evacuated Casing, Max MW)

(Tension Assumptions: Air Weight of Casing, 50,000 lbs overpull)

CEMENT PROGRAM

SURFACE

PRODUCTION


İ	FT. OF FILL	DESCRIPTION	SACKS	EXCESS*	WEIGHT	YIELD
	250	Class G + 2% CaCl ₂ + 0.25 lb/sk Cello	90	35%	15.80	1.17
		Flake				
LEAD	5,690'	Premium Lite II + 3 lb/sk CSE	740	100%	11.00	3.44
		+ 0.5% Sodium Metasilicate	•		*	
		+ 10% Gel + 0.25 lb/sk Cello Flake				
		+ 3% Salt + 3 lb/sk Kol Seal				
TAIL	1,810'	50/50 POZ + 0.1% R-3 + 1% EC-1	590	75%	14.5	1.23
		+ 0.2% Sodium Metasilicate				
		+ 2% Gel + 0.5% FL-25				
	·	+ 3% Salt				

^{*} or 15% over caliper log

FLOAT EQUIPMENT & CENTRALIZERS

SURFACE	Guide shoe, 1 jt, float collar. Centralize first 3 joints & every other joint to surface with bow spring centralizers. Thread lock FE up to & including pin end of FC.						
PRODUCTION	Guide shoe, 1 jt, float collar. Ce spring centralizers.	ntralize first 3 joints & every other joint to top of tail cement with bow					

WELLHEAD EQUIPMENT



COASTAL OIL & GAS CORPORATION DRILLING PROGRAM

BIT PROGRAM

PROJECT MANAGER:

Darrell Molnar

			,			
		ROCK BI	T & PDC BIT P	ROGRAM		
INTERVA	L HOLE	BIT MFG &		M SERIAL	NZLS	COMMENTS
Surface Ho	Marine Antonio (1931 et al. 1911), marine Marine I. a. Marine (1941), and an include (1941), and the conference	Vario	akanara nimun corne i metri di mana di bi cetti dimon		denia de la companya	discussion of the second secon
Canaderie		Vallo	-			
Surf Csg -	TD 7-7/8"	SEC XS	644 40	No.	16-16-16	
Sun Csg -	10 1-1/6	SEC AS	544 40	00 New	16-16-16	
	<u> </u>				ļ.,	<u> </u>
						WER .
If an additional bit	is required use anoth	er insert.				
OGICAL DATA						
LOGGING:						
LOGGING.						
•••	en en en el 1800 de garage en	2004	end the state of the property of the state o	a and minaria a serial a selection of a		and the second second section in the second second section in the section in
	Depth	<u>.</u>	and the second second processes and	Log 1		ta Start V. Landard Carlot Start Start Committee and the committee of the
ļ	SC - TD			Platform	Express	
. -						***************************************
MUD LOGGER:	SC - TD					
		ogy			<u> </u>	
SAMPLES:	As per Geol	ogy				
SAMPLES: CORING:		ogy				
SAMPLES:	As per Geol	ogy				
SAMPLES: CORING: DST:	As per Geol	ogy				
SAMPLES: CORING:	As per Geol	ogy				
SAMPLES: CORING: DST:	As per Geol	ogy				
SAMPLES: CORING: DST: PROGRAM	As per Geole NA NA		WATER			
SAMPLES: CORING: DST: PROGRAM DEPTH	As per Geole NA NA	MUD WT	LOSS	VISCOSITY		TREATMENT
SAMPLES: CORING: DST: PROGRAM	As per Geole NA NA			VISCOSITY 27		TREATMENT Polymer, Gyp
SAMPLES: CORING: DST: PROGRAM DEPTH	As per Geole NA NA	MUD WT	LOSS			
SAMPLES: CORING: DST: PROGRAM DEPTH	As per Geole NA NA	MUD WT	LOSS			
SAMPLES: CORING: DST: PROGRAM DEPTH	As per Geole NA NA	MUD WT	LOSS			
SAMPLES: CORING: DST: PROGRAM DEPTH	As per Geole NA NA	MUD WT	LOSS			
SAMPLES: CORING: DST: PROGRAM DEPTH	As per Geole NA NA	MUD WT	LOSS			
SAMPLES: CORING: DST: PROGRAM DEPTH	As per Geole NA NA	MUD WT	LOSS			
SAMPLES: CORING: DST: PROGRAM DEPTH	As per Geole NA NA	MUD WT	LOSS			
SAMPLES: CORING: DST: PROGRAM DEPTH SC-TD	As per Geole NA NA TYPE Water	MUD WT Water	Loss NC	27		
SAMPLES: CORING: DST: PROGRAM DEPTH SC-TD Circulate hole un	As per Geole NA NA TYPE Water til clean @ TD. Spot I	MUD WT Water	Loss NC	27		
SAMPLES: CORING: DST: PROGRAM DEPTH SC-TD	As per Geole NA NA TYPE Water til clean @ TD. Spot I	MUD WT Water	Loss NC	27		
SAMPLES: CORING: DST: PROGRAM DEPTH SC-TD Circulate hole un Monitor corrosion	As per Geole NA NA TYPE Water til clean @ TD. Spot In with coupons.	MUD WT Water	Loss NC	27		
SAMPLES: CORING: DST: PROGRAM DEPTH SC-TD Circulate hole un	As per Geole NA NA TYPE Water til clean @ TD. Spot In with coupons.	MUD WT Water	Loss NC	27		
SAMPLES: CORING: DST: PROGRAM DEPTH SC-TD Circulate hole un Monitor corrosion	As per Geole NA NA TYPE Water til clean @ TD. Spot In with coupons.	MUD WT Water brine pill at TD t	NC for casing. Elim	27	on chemicals.	
SAMPLES: CORING: DST: PROGRAM DEPTH SC-TD Circulate hole un Monitor corrosion TIONAL INFORMATIO Test casing head to	As per Geole NA NA TYPE Water til clean @ TD. Spot In with coupons.	MUD WT Water brine pill at TD f	LOSS NC for casing. Elim	27 inate corrosion	on chemicals.	Polymer, Gyp
SAMPLES: CORING: DST: PROGRAM DEPTH SC-TD Circulate hole un Monitor corrosion TIONAL INFORMATIO Test casing head to	As per Geole NA NA TYPE Water til clean @ TD. Spot In with coupons.	MUD WT Water brine pill at TD f	LOSS NC for casing. Elim	27 inate corrosion	on chemicals.	Polymer, Gyp
SAMPLES: CORING: DST: PROGRAM DEPTH SC-TD Circulate hole un Monitor corrosion TIONAL INFORMATIO Test casing head to BOPE: 11" 3M with	As per Geole NA NA TYPE Water til clean @ TD. Spot In with coupons. NO 0 750 psi after installing. In one annular and 2 rame	MUD WT Water brine pill at TD f	LOSS NC for casing. Elim ing to 1,500 psi posi (annular to 1,500)	ninate corrosion	on chemicals.	Polymer, Gyp
SAMPLES: CORING: DST: PROGRAM DEPTH SC-TD Circulate hole un Monitor corrosion TIONAL INFORMATIO Test casing head to BOPE: 11" 3M with	As per Geole NA NA TYPE Water til clean @ TD. Spot In with coupons. NO TO psi after installing. In one annular and 2 rams on test rams on each trip.	MUD WT Water brine pill at TD f	LOSS NC for casing. Elim ing to 1,500 psi posi (annular to 1,500)	ninate corrosion	on chemicals.	Polymer, Gyp
SAMPLES: CORING: DST: PROGRAM DEPTH SC-TD Circulate hole under Monitor corrosion TIONAL INFORMATIO Test casing head to BOPE: 11" 3M with tour sheet. Function & lower kelly valves	As per Geole NA NA NA TYPE Water til clean @ TD. Spot In with coupons. No 750 psi after installing. In one annular and 2 rame on test rams on each trip. St.	MUD WT Water brine pill at TD f	for casing. Eliming to 1,500 psi posi (annular to 1,5 valve & inside BC	ninate corrosion	on chemicals.	Polymer, Gyp
SAMPLES: CORING: DST: PROGRAM DEPTH SC-TD Circulate hole under Monitor corrosion TIONAL INFORMATIO Test casing head to BOPE: 11" 3M with tour sheet. Function & lower kelly valves	As per Geole NA NA TYPE Water til clean @ TD. Spot In with coupons. NO TO psi after installing. In one annular and 2 rams on test rams on each trip.	MUD WT Water brine pill at TD f	for casing. Eliming to 1,500 psi posi (annular to 1,5 valve & inside BC	ninate corrosion	on chemicals.	Polymer, Gyp
SAMPLES: CORING: DST: PROGRAM DEPTH SC-TD Circulate hole under Monitor corrosion TIONAL INFORMATIO Test casing head to BOPE: 11" 3M with tour sheet. Function & lower kelly valves	As per Geole NA NA NA TYPE Water til clean @ TD. Spot In with coupons. No 750 psi after installing. In one annular and 2 rame on test rams on each trip. St.	MUD WT Water brine pill at TD f	for casing. Eliming to 1,500 psi posi (annular to 1,5 valve & inside BC	ninate corrosion	on chemicals.	Polymer, Gyp

DATE:

COASTAL OIL & GAS CORP.

SHOYO #3-162 LOCATED IN UINTAH COUNTY, UTAH **SECTION 3, T9S, R21E, S.L.B.&M.**



PHOTO: VIEW FROM PIT CORNER #D TO LOCATION STAKE

CAMERA ANGLE: NORTHWESTERLY



PHOTO: VIEW OF EXISTING ACCESS ROAD

CAMERA ANGLE: SOUTHERLY



Uintah Engineering & Land Surveying 85 South 200 East Vernal, Utah 84078 435-789-1017 uels@uelsinc.com

LOCATION PHOTOS

DAY TAKEN BY: D.K. DRAWN BY: C.G. REVISED: 00-00-00

РНОТО

WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 01/22/2001	API NO. ASSIGNED: 43-047-33868
WELL NAME: SHOYO 3-162 OPERATOR: COASTAL OIL & GAS CORP (N0230) CONTACT: CHERYL CAMERON	PHONE NUMBER: 435-781-7023
PROPOSED LOCATION:	INSPECT LOCATN BY: / /
NWNE 03 090S 210E SURFACE: 0525 FNL 2155 FEL	Tech Review Initials Date
BOTTOM: 0525 FNL 2155 FEL UINTAH	Engineering
NATURAL BUTTES (630)	Geology
LEASE TYPE: 2-Indian	Surface
LEASE NUMBER: 14-20-H62-3018 SURFACE OWNER: 2-Indian PROPOSED FORMATION: WSTC	
Plat Bond: Fed[] Ind(2] Sta[] Fee[] (No. 114066-A Potash (Y/N) Y Oil Shale (Y/N) *190-5 (B) or 190-3 Water Permit (No. 43-8496 N RDCC Review (Y/N) (Date: N Fee Surf Agreement (Y/N)	LOCATION AND SITING: R649-2-3. Unit R649-3-2. General Siting: 460 From Qtr/Qtr & 920' Between Wells R649-3-3. Exception Drilling Unit Board Cause No: 173-13 (8/320') Eff Date: 3-24-99 Siting: 460'fr. Br. Hort Boundary 5. 920' between we R649-3-11. Directional Drill
COMMENTS: NBU SOP, Separate file.	
STIPULATIONS: OFEDERAL APPE	DVAL




OPERATOR: COASTAL O&G CORP (N0230)

FIELD: NATURAL BUTTES (630)

SEC. 3, T9S, R21E,

COUNTY: UINTAH CAUSE: 173-13 (8/320')





Michael O. Leavitt Governor Kathleen Clarke Executive Director Lowell P. Braxton Division Director 1594 West North Temple, Suite 1210 PO Box 145801 Salt Lake City, Utah 84114-5801 801-538-5340 801-359-3940 (Fax) 801-538-7223 (TDD)

January 29, 2001

Coastal Oil & Gas Corporation PO Box 1148 Vernal, UT 84078

Re:

Shoyo 3-162 Well, 525' FNL, 2155' FEL, NW NE, Sec. 3, T. 9 South, R. 21 East,

Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-33868.

Sincerely,

John R. Baza Associate Director

er

Enclosures

cc:

Uintah County Assessor

Bureau of Land Management, Vernal District Office

Operator:	(Coastal Oil & Gas Coi	rporation	
Well Name & Number		Shoyo 3-162		
API Number:		43-047-33868		
Lease:		14-20-H62-3018		· —
Location: NW NE	Sec. 3	T. 9 South	R. 21 East	

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. In accordance with Order in Cause No. 190-5(b) dated October 28, 1982, the Operator shall comply with requirements of Rules R649-3-31 and R649-3-27 pertaining to Designated Oil Shale Areas. Additionally, the operator shall ensure that the surface and/or production casing is properly cemented over the entire oil shale interval as defined by Rule R649-3-31. The Operator shall report the actual depth the oil shale is encountered to the Division.
- 5. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

Form 3150-3 (August 1999)

UP SED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0136 Expires: November 30, 2000

5. Lease Serial No.

APPLICATION FOR PERMIT TO DRII	LL OR REENTER		4-20-H62-30	18
la. Type of Work X DRILL REEN	TER	6. If	Indian, Allotee or	Tribe Name
ليباً الما			ite Tribe	
1b. Type of Well Oil Well X Gas Well Other	Single Zone Multiple Zon			ent Name and No.
			C-000186 ease Name and W	-11 NI-
2. Name of Operator				
Coastal Oil & Gas Corporation 3a. Address	3b. Phone No. (include area co		ihoyo #3-162 PI Well No.	
	(435) -781-7023	9. A	ri well No.	
P.O. Box 1148, Vernal, UT 84078 4. Location of Well (Report location clearly and in accordance with any			ield and Pool, or E	Exploratory
A 6			oray	explorator y
At surface NW NE	RIDERVED	11.S	ec., T., R., M., or	Blk. and Survey or Are
At proposed prod. zone 525 FNL & 2155 FEL	JEN 2 2 2001	s	Section 3-T9	S-R21E
14. Distance in miles and direction from nearest town or post office*		12.C	ounty or Parish	13.State
8.2 Miles East of Ou	ırav, Utah	Uin	tah	Utah
15. Distance from proposed*	16. No. of Acres in lease	17. Spacing	Unit dedicated to	this well
location to nearest				
property or lease line, ft. 525'	161.67		323.4	0 .
(Also to nearest drg. unit line, if any)		20 77 7 4 //	V. D. 131	m1
18. Distance from proposed location*	19. Proposed Depth	20.BLM/E	BIA Bond No. on	Ille
to nearest well, drilling, completed, applied for, on this lease, ft.				
applied for, on this lease, it. Refer to Topo "C"	75001	BLM:	U-605382-9;	BIA:114066-A
21. Elevations (Show whether DF, KDB, RT, GL, etc.	22. Approximate date work will st	art*	23. Estimated dur	ation .
4682.6'Ungraded GL	Upon Approval	1	To Be Determined	
	24. Attachments			
The following, completed in accordance with the requirements of Onshore	Oil and Gas Order No. 1, shall be attach	ed to this for	m:	
and the second s	4. Bond to cover the opera	tions unless o	overed by an exis	ting bond on file (see
1. Well plat certified by a registered surveyor.	Item 20 above).	nons umess c	overed by an exis	ing bond on the (bee
 A Drilling Plan A Surface Use Plan (if the location is on National Forest System Land 	•			
3. A Surface Use Plan (if the location is on National Porest System Land SUPO shall be filed with the appropriate Forest Service Office).	6. Such other site specific i	information a	nd/or plans as ma	y be required by the
SOLO dimi or more man appropriate	authorized officer.			
25 Oktobustura	Name (Printed/Typed)		Date	
25. Signuature			• 1	1/18/01
of thelet temen	Cheryl Cameron			1/10/01
Title	•			
Sr. Regulatory Analyst				
Approved by (Signautre)	Name (Printed/Typed)		Date	1
Tolora La Voquena			03/	27/2001
Title Assistant Field Manager	Office			
Mineral Resources				
	1 - 1	the gubiect	leace which would	entitle the annlicant
Application approval does not warrant or certify that the applicant holds conduct operations thereon.	legal or equitable lifte to those rights in		CE OF AP	FROVAL
Conditions of approval, if any, are attached.		NOII	ue up mp	I II ALIM
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it United States any false, fictitious or fraudulent statements or representation	t a crime for any person knowlingly and	willfully to	make to any depa	artment or agency of t
United States any faise, fictitious of fraudulent statements of representation	mo ao to any matter within no jurisdiction	•		

CONDITIONS OF APPROVAL ATTACHED 2 8 2001

DIVISION OF OIL, GAS AND MINING

*(Instructions on Reverse)

COAs Page 1 of <u>4</u> Well No.: SHOYO #3-162

CONDITIONS OF APPROVAL APPLICATION FOR PERMIT TO DRILL

Company/Operator: Coastal Oil & Gas Corporation
Well Name & Number: SHOYO #3-162
API Number: <u>43-047-33868</u>
Lease Number: <u>14-20-H62-3018</u>
Location: NWNE Sec. 03 T. 09S R. 21E
Agreement: C.A. 9C-186

COAs Page 2 of 4 Well No.: SHOYO #3-162

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

- A. DRILLING PROGRAM
- 1. Casing Program and Auxiliary Equipment

A minimum of 900 ft. of surface casing will be set. The hole size for the surface casing shall be a minimum of 12.25 inches in diameter, to facilitate remedial cementing of the surface casing.

As a minimum, the usable water and other mineral resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Green River formation, identified at \pm 1,973 ft.

COAs Page 3 of 4 Well No.: SHOYO #3-162

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

Coastal Oil and Gas Corporation (Coastal) will assure the Ute Tribe that any/all contractors and subcontractors have acquired a current Tribal Business License and have updated "Access Permits" prior to construction. All Coastal personnel, contractors and subcontractors will have these permits in their vehicles at all times. Companies that have not complied with this COA will be in violation of the Ute Tribal Business License Ordinance, and will be subject to fines and penalties.

Coastal employees, representatives, and/or authorized personnel (subcontractors) shall not carry firearms on their person or in their vehicles while working on the Uintah and Ouray Indian Reservation.

Coastal employees and/or authorized personnel (subcontractors) in the field will have approved applicable APDs and/or ROW permits/authorizations on their person(s) during all phases of construction.

Coastal will notify the Ute Tribe and Bureau of Indian Affairs (BIA) in writing of any requested modification of APDs or Rights-Of Way (ROW). Coastal shall receive written notification of authorization or denial of the requested modification. Without authorization, Coastal will be subject to fines and penalties.

The Ute Tribe Energy & Minerals Department shall be notified in writing 48 hours in advance of any construction activity. The Ute Tribal office is open Monday through Thursday. A Tribal Technician is to routinely monitor construction. Coastal shall make arrangements with the Ute Energy & Minerals Department for all monitoring that will exceed regular working hours for Tribal Technicians. A qualified Archaeologist accompanied by a Tribal Technician will monitor any trenching required for the construction of the pipeline. An archaeologist accompanied by a Tribal Technician shall monitor the construction of the access road, location, and pipeline because heavy tamarisk areas are involved. Coastal is to inform contractors to maintain construction of the pipelines within approved 60 foot right of ways.

A corridor ROW, 60 feet wide, shall be granted for the pipeline. The ROW width of the revised access road will be 30 feet and the constructed travel width of the access road will be limited to 18 feet. Upon authorization by the Ute Tribe Energy & Minerals Department, the ROW may be wider where sharp curves; deep cuts and fills occur; or, where intersections with other roads are required. Upon completion of each pipeline in the corridor an adequate description of the pipeline will be filed with the Ute Tribe Energy & Minerals Department.

Upon completion of the pertinent APD and ROWs, Coastal will notify the Ute Tribe Energy & Minerals Department for a Tribal Technician to verify the Affidavit of Completion.

Production waters, oil, and other byproducts shall not be placed on access roads or the well pad.

COAs Page 4 of 4 Well No.: SHOYO #3-162

All vehicular traffic, personnel movement, construction and restoration operations will be confined to the areas examined and approved and to the existing roadways and/or evaluated access routes.

Coastal will implement "Safety and Emergency Plan" and ensure plan compliance.

Coastal shall stop construction activities and notify personnel from the Ute Tribe Energy & Minerals Department and BIA if cultural remains including paleontologic resources (vertebrate fossils) are exposed or identified during construction. The Ute Tribe Department of Cultural Rights and Protection and the BIA will provide mitigation measures prior to allowing construction.

Coastal employees and/or authorized personnel (subcontractors) will not be allowed to collect artifacts and paleontologic fossils. No significant cultural resources shall be disturbed.

Coastal will control noxious weeds on the well site and ROWs. Coastal will be responsible for noxious weed control if weeds spread from the project area onto adjoining land.

Reserve pits will be lined with an impervious synthetic liner. About 17 rods of fence will be constructed around the reserve pit until it is backfilled. Prior to backfilling the reserve pit, all fluids will be pumped from the pit into trucks and hauled to approved disposal sites. When the reserve pits are backfilled, the surplus oil and mud, etc., will be buried a minimum of 3 feet below the surface of the soil.

A closed system will be used during production. This means that production fluids will be contained in leak-proof tanks. All production fluids will be disposed of at approved disposal sites.

Surface pipelines will be constructed to lay on the soil surface. The ROW will not be bladed or cleared of vegetation without authorization of the BIA. The pipeline shall be welded in place at well sites or on the access road.

Most of the pipeline will be a buried pipeline because agricultural land and dense vegetation areas are involved. Buried pipelines shall be buried a minimum of 3 feet below the soil surface. After construction is completed the disturbed area shall be contoured to blend into the natural landscape and be reseeded between September 15 and November 1 of the year following construction with perennial vegetation seed mixture provided by the BIA or Ute Tribe.

Before the site is abandoned, Coastal will be required to restore the well site and ROWs to near their original state. The disturbed areas will be reseeded with desirable perennial vegetation.

Soil erosion will be mitigated by reseeding all disturbed areas.

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

	5. LEASE DESIGNATION AND SERIAL NUMBER:			
SUNDR	Y NOTICES AND REPOR	RTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for proposals to drill	new wells, significantly deepen existing wells below	w current boilloin-hole depth, reenter plugged welts, or to RLL form for such proposals.	7. UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL OIL WELL	8. WELL NAME and NUMBER:			
2. NAME OF OPERATOR:			Exhibit "A" 9. API NUMBER:	
	o Production Oil & Gas		40. FISTO 110 POOL OF 117 POOL	
3. ADDRESS OF OPERATOR: 8 South 1200 East of	ıy Vernal sıate Utah	PHONE NUMBER: 435-789-4433	10. FIELD AND POOL, OR WILDCAT:	
4. LOCATION OF WELL				
FOOTAGES AT SURFACE:			COUNTY:	
QTR/QTR, SECTION, TOWNSHIP, RAI	IGE, MERIDIAN:	\$	STATE: UTAH	
11. CHECK APP	ROPRIATE BOXES TO INDIC	ATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION	
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL	
Approximate date work will start:	CASING REPAIR	MEW CONSTRUCTION	TEMPORARILY ABANDON	
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR	
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE	
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL	
Date of work completion:	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF	
	COMMINGLE PRODUCING FORMATION		X отнея: Name Change	
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION		
		all pertinent details including dates, depths, volum		
As a result of	the merger between The	e Coastal Corporation and	a wholly owned	
subsidary of El	Paso Energy Corporati	ion, the name of Coastal	Oil & Gas Corporation	
has been change	d to El Paso Productio	on Oil & Gas Company effe	ctive March 9, 2001.	
	See	Exhibit "A"		
			,	
Bond # 400JU070	18			
Coast	al Oil & Gas Corporati			
NAME (PLEASE PRINT) John	T Elzner	TITLE Vice Presid	ent	
SIGNATURE		DATE 06-15-01		
7 1				
	so Prøduction 011 & Ga T Elzner	TITLE Vice Presid	lent	
17		DATE 06-15-01		
SIGNATURE		DATE VV 10 07		
(This space for State use only)			End ton 4-1 2m 50 15. 6.d.	
			RECEIVED	

JUN 19 2001

State of Delaware

Office of the Secretary of State

PAGE

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "COASTAL OIL & GAS CORPORATION", CHANGING ITS NAME FROM "COASTAL OIL & GAS CORPORATION" TO "EL PASO PRODUCTION OIL & GAS COMPANY", FILED IN THIS OFFICE ON THE NINTH DAY OF MARCH, A.D. 2001, AT 11 O'CLOCK A.M.

MECENED

HIN I TE 7000

DIVISION OF DIL, GAS AND MINING



Harriet Smith Windsor, Secretary of State

AUTHENTICATION: 1061007

DATE: 04-03-01

0610204 8100

010162788

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

COASTAL OIL & GAS CORPORATION (the "Company"), a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware, DOES HEREBY CERTIFY:

FIRST: That the Board of Directors of the Company, by the unanimous written consent of its members, filed with the minutes of the Board, adopted a resolution proposing and declaring advisable the following amendment to the Certificate of Incorporation of the Company:

RESOLVED that it is deemed advisable that the Certificate of Incorporation of this Company be amended, and that said Certificate of Incorporation be so amended, by changing the Article thereof numbered "FIRST." so that, as amended, said Article shall be and read as follows:

"FIRST. The name of the corporation is El Paso Production Oil & Gas Company."

SECOND: That in lieu of a meeting and vote of stockholders, the stockholders entitled to vote have given unanimous written consent to said amendment in accordance with the provisions of Section 228 of the General Corporation Law of the State of Delaware.

THIRD: That the aforesaid amendment was duly adopted in accordance with the applicable provisions of Sections 242 and 228 of the General Corporation Law of the State of Delaware.

IN WITNESS WHEREOF, said COASTAL OIL & GAS CORPORATION has caused this certificate to be signed on its behalf by a Vice President and attested by an Assistant Secretary, this 9th day of March 2001.

COASTAL OIL & GAS CORPORATION

David L. Siddall

Vice President

Attest:

Margaret E. Roark, Assistant Secretary

STATE OF DELAWARE SECRETARY OF STATE DIVISION OF CORPORATIONS FILED 11:00 AM 03/09/2001

JUN 19 2001

DIVISION OF OIL, GAS AND MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

RECEIVED

JUL 1 2 2001

DIVISION OF OIL, GAS AND MINING

In Reply Refer To: 3106 UTSL-065841 (UT-924)

JUL 1 0 2001 -

NOTICE

El Paso Production Oil & Gas Company

Oil and Gas

Nine Greenway Plaza

Houston TX 77046-0095

:

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of <u>Coastal Oil & Gas Corporation</u> into <u>El Paso Production Oil & Gas Company</u> with <u>El Paso Production Oil & Gas Company</u> being the surviving entity.

For our purposes, the name change is recognized effective March 9, 2001.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entitities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from <u>Coastal Oil & Gas Corporation</u> to <u>El Paso Production Oil & Gas Company</u>. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Wyoming and Colorado.

Opolonia L. Abeyta
Acting Chief, Branch of
Minerals Adjudication

Enclosure

1. Exhibit of Leases (1 pp)

cc: Moab Field Office

Vernal Field Office MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217

State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114

Teresa Thompson (UT-922)

Joe Incardine (UT-921)



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Uintah and Ouray Agency P. O. Box 130 988 South 7500 East Fort Duchesne, Utah 84026-0130

Fax: (435) 722-2323 Phone: (435) 722-4300

IN REPLY REFER TO: Minerals and Mining Phone: (435) 722-4310 Fax: (435) 722-2809

August 16, 2001

El Paso Production Company Attn: Elizabeth R. Williams Nine Greenway Plaza Houston, TX 77046-0995

Dear Mrs. Williams:

We are in receipt of the corporate documentation for the name change from Coastal Oil & Gas Corporation to El Paso Production Oil and Gas Company.

All documents appear to be in order, and the approval is hereby authorized to change all records, including change of operator of certain oil and gas wells, Rights-of-Way, Communitization Agreements, Oil and Gas Leases, Exploration and Development Agreements, etc. from Coastal Oil & Gas Corporation to "El Paso Production Oil and Gas Company".

Approval of this name change is August 16, 2001, but effective on March 9, 2001. If you have any questions, please do not hesitate to contact this office.

Respectfully.

Acting Superintendent

RECEIVED

AUG 2 2 2001

DIVISION OF OIL, GAS AND MINING

OPERATOR	El Paso Production Co.			
ADDRESS	P.O. Box 1148			
	Vernal, UT 84078			

OPERATOR ACCT. NO. N 1845

435 789 4436 FAX NO. SEC AUG-03-2001 FRI 09:54 AM COASTAL OIL&GAS D.S.

P. 01

ACTION	CURRENT	T 19-101						-			
ACTION	CURRENT ENTITY NO.	NEW Entity No.	API NUMBER	WELL NAME		WELL LOCATION				SPUD	EFFECTIVE
OODL	LITTIT 140.	ENTET NO.			QQ	SC	TP	RG	COUNTY	DATE	DATE
A MELL 1 C	99999	132421	43-047-33868	SHOYO #3-162	NWNE	3	98	21E	UINTAH	8/1/2001	8-3-01 8/1/2001
	WELL 1 COMMENTS:										
			0-5-01								
ACTION CODE	CURRENT ENTITY NO.	NEW	API NUMBER	WELL NAME		WELL LOCATIO				SPUD	EFFECTIVE
CODE	ENTITINO.	ENTITY NO.			QQ	sc	TP	RG	COUNTY	DATE	DATE
A	99999	13243	43-047-33718	TRIBAL #36-43	swsw	36	8.5	21E	UINTAH	8/2/2001	8-3-0/ 8/2/2001
	OMMENTS:				-						
Spud w/ I	et Martin Buc	ket rig @ 1:00	pm 8-3-0,	/							
ACTION	CURRENT	NEW	APINUMBER	WELL NAME		WELL LOCATION SPUD			EFFECTIVE		
CODE	ENTITY NO.	ENTITY NO.			QQ	SC	TP	RG	COUNTY	DATE	DATE
A	99999	13244	43-047-3369I	GOSE FEDERAL #3-18	swsw	18	6S				8-3-01
WELL 3 C	OMMENTS:			GOOD TEDERAL #5-18	Iawaw	10	0.5	21E	UINTAH	8/1/2001	8/1/2001
	-3-01										
ACTION	CURRENT	NEW	API NUMBER	WELL NAME	T	WELL LOCATION SPUO				SPUD	EFFECTIVE
CODE	ENTITY NO.	ENTITY NO.			QQ	SC	TΡ	RG	COUNTY	DATE	DATE
WELL 4 C	DMMENTS:	·	<u> </u>			-	L			<u> </u>	<u> </u>
ACTION	CURRENT	NEW	API NUMBER	WELL NAME		WELLOCATION			C C C C C C C C C C C C C C C C C C C		
CODE	ENTITY NO.	ENTITY NO.			QQ			COUNTY	SPUD Date	EFFECTIVE DATE	
									0001111	DAIL	LIAIC
11151 5 0											
WELL 5 CO	DMMENTS:						-		***		
			Post-It® Fax Note	7671 Dete 83 #01 pages							
ACTION C	ODES (See ins	rugiana sa	To Jim Mun	ssun From hery Come	·///						
			Co./Dept.	Co.					To or	1	
A - Establish new entity for new B - Add new well to existing entities		Phone # Phone #					(Signature	gmelm)	
C - Re-assign well from one exis			Fax #				·	oignature V			
D - Re-assign wall from one exis					<u>.</u>			_	Regulatory	Analyst	08/03/01
r - ()ther (evoluin in commante)							Date				
	OUMMEN! SE	ction to explain t	wny each Action Code	e was selected.							
(3/89)								l	Phone No.	(435) 78	31-7023

Form 3160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0135 pires: November 30, 2000

Expires: November 50, 2000	
5. Lease Serial No. 14-20-H62-3018	
6 If Indian Allottee or Tribe Name	

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					14-20-H62-3018 6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on reverse side.				7. If Unit or CA/Agreement, Name and/or No. 9C-000186			
1. Type of Well					8. Well Name and		
☐ Oil Well 🖸 Gas Well 🗖 Oth					SHOYO 3-16	32 	
Name of Operator COASTAL OIL & GAS CORP	Contact: ORATION	CHERYL CAM E-Mail: Chery	IERON ⁹ I.Cameron@C	oastalCorp.d	. API Well No. om 43-047-3386	8	
3a. Address P.O. BOX 1148 Ph: 435.781.7023 VERNAL, UT 84078 3b. Phone No. (include area code) Ph: 435.781.7023 Fx: 435.789.4436			10. Field and Pool OURAY/NAT	, or Exploratory URAL BUTTES			
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description,		,		11. County or Pari	sh, and State	
Sec 3 T9S R21E Mer NWNE	525FNL 2155FEL				UINTAH COI	JNTY, UT	
12. CHECK APPI	ROPRIATE BOX(ES) TO	INDICATE 1	NATURE OF	NOTICE, R	EPORT, OR OTH	IER DATA	
TYPE OF SUBMISSION			ТҮРЕ О	F ACTION			
Notice of Intent	☐ Acidize	☐ Deepe	en	☐ Product	tion (Start/Resume)	☐ Water Shut-Off	
_	☐ Alter Casing	☐ Fractu		☐ Reclam		☐ Well Integrity	
☐ Subsequent Report	Casing Repair	_	Construction	□ Recomp		⊠ SPUD	
☐ Final Abandonment Notice	☐ Change Plans ☐ Convert to Injection	☐ Plug a	nd Abandon	☐ Tempor	arily Abandon		
MIRU Pete Martin Bucket Rig type 5 w/ 2% CaCl, 15.8 ppg, SPUD @ 9:30 AM 8/1/01.	& drill 24" conductor hole 1.18 yield. MIRU Bill Jr. <i>I</i>	to 80'. Fill hol Air Rig & drill 1:	e w/ drlg mud. 2 1/4" surface	Set 90' of 1 hole to 276'	4" conductor & cr SDFN.	mt w/ 300 sx	
					· · · · · · · · · · · · · · · · · · ·		
14. I hereby certify that the foregoing is	true and correct. Electronic Submission # For COASTAL OI	6197 verified b L & GAS CORP	y the BLM Well ORATION, sent	Information to the Verna	System I	1	
Name (Printed/Typed) CHERYL	CAMERON		Title OPERA	TIONS			
Signature Date 08/03/2001							
	THIS SPACE FO	R FEDERAL	OR STATE	OFFICE U	SE		
Approved By Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to conductive the applicant to	nitable title to those rights in the act operations thereon.	subject lease	Title Office		Dat		
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent	U.S.C. Section 1212, make it a statements or representations as	crime for any pers to any matter with	on knowingly and in its jurisdiction	l willfully to m	ake to any departmen	t or agency of the United	

Form 3 160-5 (August 1999)

UN OF STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135 Expires Inovember 30, 2000

Lease Serial No.

14-20-H62-3018

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

Alter Casing

Casing Repair

Change Plans

Convert to Injection

6.	If Indian, Allottee or Tribe Name	

Well Integrity

Other Surface Drilling

abandoned wen. Ose rollin 5100 5 (71 2) 151 5251 proposition				Ole		
SUBMIT IN TRIPLI	CATE – Other inst	ructions on revers	se side	7. If Unit or CA/Agreement, Name and/or No. 9C-000186		
Type of Well Oil Well Gas Well	Other			8. Well Name and No. Shoyo #3-162		
2. Name of Operator			_	9. API Well No.		
Coastal Oil & Gas Corporation	on					
la. Address		3b. Phone No. (incl	ude area code)	43-047-33868		
1368 South 1200 East, Verna	al, Utah 84078	(435)-781-7024		10. Field and Pool, or Exploratory Area		
Location of Well (Footage, Sec.,		iption)	-	Ouray		
, 2				11. County or Parish, State		
NWNE Section 3-T9S-R21E	525'FNL & 2155'FE	ΞL		Uintah County, Utah		
12. CHECK APPI	ROPRIATE BOX(ES) T	O INDICATE NATUR	E OF NOTICE, F	EPORT, OR OTHER DATA		
TYPE OF SUBMISSION		T	YPE OF ACTION	1		
Notice of Intent	Acidize	Deepen	Production	(Start/Resume) Water Shut-Off		

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

Plug Back

Fracture Treat

New Construction

Plug and Abandon

Reclamation

Water Disposal

Temporarily Abandon

Recomplete

Drillied 12 1/4" Surface hole, from 675' to 926'. Circ hole,. Ran 8 5/8" 24# K-55 Csg. Tailled 905.40' Set @ 904'. Pmp 40 Bbls Water ahead of 20 Bbls Gel Water. Followed by 475 sx Type 5 (100 Bbls Slurry) Cmt 15.6 Ppg Yield 5.2 Gal/Sk water w/2% CaCl2 .125#/8K Flocele. Drop Plug Disp w/55 bbls Water. Bump Plug. Hole Stayed Full.

Waiting on Rotary Tools.

X Subsequent Report

Final Abandonment Notice

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed)	Γitle				
/ Sheita Upchego		Regulato	ry Analyst		
	Date	August	8, 2001		
THIS SPACE FOR	R FEDERAL OR	STATE USE			
Approved by	Title		Date		
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.					
Title 18 U.S.C. Section 1001, make it a crime for any person knowing false, fictitious or fraudulent statements or representations as to any materials.	ly and willfully to ter within its jurisd	make to any departmentiction.	ent or agency of the United States any		

Form 3160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED OMB NO. 1004-0135 Expires: November 30, 2000

5.	Lease Serial No.
	14-20-H62-3018

Do not won this	a form for proposals to	duill on to no					
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					6. If Indian, Allo	ottee or Tribe	Name
SUBMIT IN TRIPLICATE - Other instructions on reverse side.					7. If Unit or CA/ 9C-000186		Name and/or No.
1. Type of Well ☐ Other .					8. Well Name and SHOYO 3-		
Name of Operator EL PASO PRODUCTION	Contact:	CHERYL CA E-Mail: Che	MERON ⁹ yl.Cameron@C	oastalCorp.c	. API Well No. om 43-047-338	868	·
3a. Address P.O. BOX 1148 VERNAL, UT 84078		3b. Phone No Ph: 435.78 Fx: 435.78		e)	10. Field and Po OURAY/NA	ol, or Explor ATHRAL B	atory UTTES
4. Location of Well (Footage, Sec., T	, R., M., or Survey Description)			11. County or Pa	arish, and Sta	te
Sec 3 T9S R21E Mer NWNE 5	525FNL 2155FEL				UINTAH CO	OUNTY, U	Т
12. CHECK APPE	ROPRIATE BOX(ES) TO	O INDICATE	NATURE OF	NOTICE, RI	EPORT, OR OT	THER DA	ТА
TYPE OF SUBMISSION			ТҮРЕ С	F ACTION			
☐ Notice of Intent	☐ Acidize	Dee	pen	□ Product	ion (Start/Resum	e) 🔲 🗸	Water Shut-Off
	☐ Alter Casing	☐ Frac	ture Treat	☐ Reclam	ation		Well Integrity
☑ Subsequent Report	Casing Repair	☐ Nev	Construction	☐ Recomp	lete		Other
☐ Final Abandonment Notice	☐ Change Plans	🗖 Plug	g and Abandon	□ Tempor	arily Abandon		
	☐ Convert to Injection	☐ Plug	g Back	■ Water I	Disposal		
following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fi Finished drlg f/ 926'-7000' w/ \(\text{sx} \) 50/50 Poz tail, yield 1.27 @ Released Rig @ 12:00 midnig	andonment Notices shall be fil nal inspection.) Jnion #7. RIH w/ 7000' c 14.3 ppg.	ed only after all	requirêments, inclu	ding reclamation	s G lead, 3.81 (eted, and the a 11.0 pp. b 11.0 pp. c 11.0 pp. c 11.0 vision	g & 840 VED 2001
14. I hereby certify that the foregoing is	Electronic Submission	#6776 verified ASO PRODUC	ΓΙΟΝ, sent to the	Vernal	System		
Name (Printed/Typed) CHERYL	CAMERON		Title OPERA	TIONS			
Signature Date 08/27/2001							
	THIS SPACE FO	OR FEDERA	L OR STATE	OFFICE U	SE		
Approved By Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent to conduct the applicant the appl	itable title to those rights in the	not warrant or e subject lease	Title Office		D	eate	
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s	U.S.C. Section 1212, make it a	crime for any pe to any matter w	erson knowingly an ithin its jurisdiction	d willfully to ma	ke to any departme	ent or agency	of the United

Form 3160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

5.	Lease Serial No.
	14-20-H62-3018

				_	
6.	If India	n, Allottee	or	Tribe	Name
	LITE				

abandoned well. Use form 3160-3 (APD) for such proposals.					6. If Indian, Allottee UTE	e or Tribe Name
SUBMIT IN TRIPLICATE - Other instructions on reverse side.				7. If Unit or CA/Ag 9C-000186	reement, Name and/or No.	
Type of Well Oil Well	ner	· -			8. Well Name and N SHOYO 3-162	
Name of Operator EL PASO PRODUCTION	Contact: C	HERYL CAN	MERON9	oastalCorp.d	. API Well No. om 43-047-33868	
3a. Address P.O. BOX 1148 VERNAL, UT 84078			(include area code) .7023	code) 10. Field and Poo		
4. Location of Well (Footage, Sec., T.					11. County or Parish	h, and State
Sec 3 T9S R21E Mer NWNE 9	525FNL 2155FEL				UINTAH COU	NTY, UT
12. CHECK APPR	ROPRIATE BOX(ES) TO I	NDICATE	NATURE OF N	NOTICE, RE	PORT, OR OTH	ER DATA
TYPE OF SUBMISSION			TYPE OI	FACTION		
□ Notice of Intent	☐ Acidize	☐ Deep	en	☐ Producti	on (Start/Resume)	☐ Water Shut-Off
	☐ Alter Casing	☐ Fract	ure Treat	□ Reclama	tion	☐ Well Integrity
Subsequent Report ■	Casing Repair	□ New	Construction	□ Recomp	lete	☑ STARTUP
☐ Final Abandonment Notice	Change Plans	☐ Plug	and Abandon	☐ Tempora	rily Abandon	
	☐ Convert to Injection	☐ Plug	Back	□ Water D	isposal	
determined that the site is ready for fi The subject well was placed o tankage. The Chronological H The CTB will have dedicated e gas or condensate will take pla Please refer to the approved A	n sales @ 12:00 pm 9/6/01 listory Report is attached. equipment including separal ace except in the condensa	tor, tanks an te over flow	d meters for ea tank.	ch CA or lea	se at the CTB. N	
14. I hereby certify that the foregoing is	true and correct.	- - T	-			CAS AND MINING
, , , , ,	Electronic Submission #76	068 verified b O PRODUCTI	oy the BLM Well ON, sent to the	Information S Vernal	System	
Name (Printed/Typed) CHERYL (CAMERON		Title OPERAT	TIONS		
Signature house comes Da			Date 09/07/20	01	·	
	THIS SPACE FOR	FEDERAI	OR STATE	OFFICE US	SE	
Approved ByConditions of approval, if any, are attached	Approval of this notice does no	ot warrant or	Title		Date	
ertify that the applicant holds legal or equivalent would entitle the applicant to condu	ct operations thereon.		Office			
Citle 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s	U.S.C. Section 1212, make it a critatements or representations as to	me for any per any matter wit	son knowingly and hin its jurisdiction.	willfully to ma	ke to any department	or agency of the United

EL PASO PRODUCTION REPORT

CHRONOLOGICAL HISTORY

SHOYO 3-162 **OURAY FIELD** UINTAH COUNTY, UT

DRILLING	REPORT
----------	--------

DRILLING REPORT:	Ouray, Uintah, U ATD: 7,300' SI 15/ CC: 142		nion 7 WI: 100% Wasatch @ 5600'	
8/9/01	TD: 904'	MW: MIST	Finish rigging u	p. NU & test BOP's. PU BHA.
8/10/01	TD: 1404' Drilling to prese		BHA. Rig repair	Drill cement & float equip.
8/13/01	TD: 3,488	MW: 8.4	668'/22.5 hrs	Drilling to present depth.
8/14/01	TD: 4,155	MW: 8.4	667'/22.5 hrs	Drilling to present depth.
8/15/01	TD: 4,848	MW: 8.4/Air	693'/23 hrs	Drilling to present depth.
8/16/01	TD: 5,344 for bit.	MW: 8.4/Air	496'/17.5 hrs	Drilling to present depth. Trip
8/17/01	TD: 5,711 depth.	MW: 8.5	387'/13.5 hrs	Trip for bit. Drilling to present
8/20/01	TD: 6,995	MW: 8.6	357'/23 hrs	Drilling to present depth.
8/21/01	TD: 7,000 Circulate & cond Final Drilling Co		5'/1 hrs H. RU Schlumbe	Drilling to TD. Wiper trip. erger. Ran PEX. TIH w/ bit.
8/22/01	TD: 7,000 down drillstring	MW: 9.5	Stage in hole. C	Circulate & condition mud. Lay
8/23/01		MW: 9.5 ing hanger. NU & love to Tribal 36~	test tubing spoo	½" production casing. ND I. Clean mud tanks. <u>Rig released</u>
8/24/01	TD: 7,000	MW: 9.5	Rig down. Move	e to Tribal 36-43 today.

AFE DES. DRILL, COMPLETE & EQUIP, AFE# 055261

WI: 100%

PBTD: 6,952' PERFS:

CSG: 4 1/2", 11.6# K-55 SET @ 7000' 8/8THS AFE M\$:606

FORMATION: WASATCH

8/28/01

PREP TO RUN CBL & PERF

MIRU. PU & RIH W/3 7/8" BIT & TAG PBTD @ 6930'. PICKLE TBG W/3 BBLS 15% HCL.

POOH W/BIT.

8/29/01

PREP TO FRAC

RUN CBL FROM 6951' TO 5250' AND 200' ABV & BELOW CMT TOP @ 1500'. TST CSG TO 5000# & 4 1/2" X 8 5/8" ANNULUS TO 500#. BOTH HELD. PERF WASATCH 6085'-6089', 4 SPF, 16 HOLES. BRK DN PERFS W/2500# @ 1 BPM. ISIP: 1200#, FG: 0.63.

8/30/01

PREP TO DO CBP'S

STAGE 1: FRAC PERFS 6085'-6089' W/440 BBLS YF113ST LIQ GEL & 40,000# 20/40 SD W/PROP NET IN LAST 10% SD. ISIP: 1627#, FG: 0.70, NET PRESS INC: 427#, MTP: 3733#, ATP: 2363#, MTR: 26 BPM, ATR: 26 BPM. PU & RIH W/CBP & PERF GUN. SET CBP @ $\!\!\!$

STAGE 2: PERF WASATCH 5994'-5998', 4 SPF, 16 HOLES. BRK DN W/1645# - ISIP: 888#, FG: 0.58. FRAC W/428 BBLS YF113ST LIQ GEL & 39,100# 20/40 SD W/PROP NET IN LAST 10% SD. ISIP: 1411#, NET PRESS INC: 523#, FG; 0.66, MTP: 2718#, ATP: 1844#, MTR: 23.5 BPM, ATR: 26.4 BPM. PU & RIH W/CBP & PERF GUN. SET CBP @ 5930'.

STAGE 3: PERF WASATCH 5895'-5899', 4 SPF, 16 HOLES. BRK DN W/2260# - ISIP: 1475#, FG: 0.68. FRAC W/354 BBLS YF113ST LIQ GEL & 31,620# 20/40 SD W/PROP NET IN LAST 10% SD. ISIP: 1550#, FG: 0.75, NET PRESS INC: 75#, MTP: 5335#, ATP: 2423#, MTR: 30.1 BPM, ATR: 21 BPM. RIH & SET CBP @ 5414'. SIH W/3 7/8" MILL. EOT @ 5400'.

8/31/01 PREP TO SWAB

DO CBP'S @ 5414', 5930', & 6030'. CO TO PBTD W/AIR FOAM. PU & LAND TBG @ 6050', SN @ 6017'. OPEN WELL ON 64/64" CHK. WELL FLWD 3 HRS THEN DIED. CP: 900# TO 550#, FTP: 500# TO 0, 11 BWPH TO 0. CP THIS AM: 800#. TLTR: 1342 BBLS, TLR: 335 BBLS, LLTR: 1007 BBLS.

9/4/01 FLWG BACK LOAD WTR

9/1/01 PROG: RU SWAB EQUIP. MADE 3 SWAB TRIPS & WELL STARTED TO FLOW. IFL: 2400'. RECOVER 20 BLW. FLWED 3 HRS THEN DIED. RESUME SWABBING FROM SN @ 6017'. NO FLUID ENTRY. SIBUP. TLTR: 1342 BBLS, TLR: 410 BBLS, LLTR: 932 BBLS.

9/2/01 PROG: OPEN WELL ON 18/64" CHK & FLOW BACK 13 HRS. CP: 450# TO 400#, FTP: 200# TO 170#, 1 BWPH TO $\frac{1}{2}$ BWPH. SI WO FACILITIES. TLTR: 1342 BBLS, TLR: 422 BBLS. LLTR: 920 BBLS.

9/3/01 PROG: SITP: 425#, CP: 660#. 9/4/01 PROG: SITP: 1070#, CP: 1050#.

9/5/01 SI WO FACILITIES. SITP: 1175#, SICP: 1140#.

9/6/01 SI WO FACILITIES. SITP: 1200#, SICP: 1170#.

9/7/01 ON SALES

PLACE ON SALES @ 12:00 PM, 9/6/01. SPOT PROD DATA: 64/64" CHK, FTP: 115#, CP: 361#, 0 BWPD, 517 MCFPD.

Form 3160-4 (August 1999)

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: November 30, 2000

5. Lease Serial No.

	WEL	L COM	PLETIC	ON OR R	ECOMPLE	TION RE	PORT	AND L	OG		5. L	ease Seria			40
													20-H6		
la. Type of	Well	Oil We	ell 🔀	Gas	Dry (Other			_		6. I	f Indian, A			e Name
b. Type of C	Completion:	İ	X New	□ v	Vork Over	Deepen	Plu Plu	ug Back	Diff.	Resvr.	7 7	Init on CA	Ute		ama and No
	•		Other								/. (Agreen OC-000		ame and No.
2. Name of 0	Operator				············						Q Y	ease Nam			
El Paso F	- -	nn.									0. 1		hoyo (
3. Address	Todacac	/11					3a. Pho	one No. (in	clude area	code)	Q /	API Well N			
P.O. Box	1110 \	/ornal l	IT 840	78				(435)7	'81-702	3	9. r		 3-047-:	3386	88
4 Location	of Well (Re	nort locat	ions clear	rlv and in ac	cordance with	Federal requ	uirement		<u> </u>						
4. Locution	01 11 011 ()										10.	Field and I	Pool, or atural		
At surface			NW	NE							11	Sec., T., R			
At top prod.	interval rer	orted belo	ow 525	FNL & 2	155 FEL							Survey or	Area	Sec.	3.T9S.R21E
Tit top prou											12.	County or			13. State
At total dept	th						,						tah (DE D	un D	UT
14. Date Sp	udded		15.	Date T.D. Re	eached			te Complet D & A		ly to Prod.	17.	Elevations			
	08/01/0	1		(08/20/01		-	υωπ	Kouk	.,		4682.	6' Ung	rade	ed GL
18. Total D	epth: MI)		19. P	lug Back T.D.					20. Depth	Bridge				
	TV		7000'			TVD	6930		T		~ F\$25 - 3.7		TVD Yes (Sul	mait o	onu)
21. Type El	lectric & Ot	her Mech	anical Lo	gs Run (Sub	mit copy of ea	ich)				well cored			Yes (Sui		
<u> </u>	÷ / 0.11	.0 0	21 4	141	1=10	9.0800	2/			ctional Sur					nit copy)
CBL /	E/CNL	-7-8-	<u> </u>	HALIF	E/CN-	- 1-08-6	7		L			-		<u>` </u>	
				strings set in	1	Stage Ce	ementer	No. of	Sks. &	Slurry V	ol.	Cement 7	Con*	Δ	mount Pulled
Hole Size	Size/Grade	Wt. (#/1	ft.) 1	Top (MD)	Bottom (MI	Dep			Cement	(BBL)		Coment.	ТОР		
12 1/4	8 5/8	35 24#		0'	904	475		Type 5							
7 7/8	4 1/2	K3311.6#	<i>‡</i>	0'	7000	450		Class (· · · · · · · · · · · · · · · · · · ·
				_		840	SX	50/50 F	-0Z	<u> </u>					
24. Tubing	Pagard									<u> </u>					
Size	Depth Se	t (MD)	Packer F	epth (MD)	Size	Depth Se	et (MD)	Packer D	epth (MD)	Siz	ze	Depth	Set (MI)) [Packer Set (MD)
2 3/8	605		1 acker 1	cpui (MD)	5.20										
2070	1											1		L	
25. Produc	ing Interval	s				26. Perf	oration l	Record							
	Formatio	n		Тор	Bottom			Interval		Size	No	. Holes	<u> </u>	Per	f. Status
A) \	WASATO	CH		5895	6089		5895-			4SPF		16			
B)					<u> </u>		5994-			4SPF	-	16			·
C)							6085-6	6089		4SPF	 	16			
D)					<u> </u>			_				4 3,4 94			- \
27. Acid, I			ement So	queeze, Etc.							25 41 7	<u>a si tabba a</u>	<u> </u>		
	Depth Inter		25	4 Phic VE	113ST & 3	31 620# 2	0/405	ח				ZTET N. V	4 4 T	V 3	
	5895-58 5994-59				113ST & 3				<u>-</u>			- (-	
	6085-60				=113ST & 4							1 0.000	Kali	\si	
	0000-00		- ' '	<u> </u>							Oil.	1.334.2	ا والأولا		
28. Produc	ction - Inter	val A													
Date First	Test	Hours	Test	Oil		Water	Oil Gra	-	Gas Gravity		Produc	tion Method	d		
Produced	Date	Tested 24	Productio	- BBL	MCF 136	BBL O	Corr. A	Ari	Clavity				Flov	ving	
09/06/01 Choke	09/07/01 Tbg. Press.	Csg.	24 Hr.	Oil		Water	Oil Gra	avity	Well Stat	ıs					
Size	Flwg.	Press.	Rate	BBL	MCF I	BBL	Corr. A	API				Produc	rina		
64/64	sr 115	425		- 0	136	0						1 10000	ning		
	uction - Inte		Test	Oil	Gas	Water	Oil Gr	avity	Gas		Produc	tion Metho	d		<u></u>
Date First Produced	Test Date	Hours Tested	Production			BBL	Corr. A	•	Gravity						
				<u> </u>					1		<u>.</u>]				
Choke	Tbg. Press.	Csg.	24 Hr. Rate	Oil BBL	1 1	Water BBL	Oil Gr Corr.	-	Well Stat	us					
Size	Flwg.	Press.	Nate	D											

				•						
	duction - Inte			T		·····				
Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method	
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status		
28c. Pro	duction - Inte	rval D								
Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method	
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status		
29. Disp	osition of Ga	s (Sold, use	d for fuel, v	ented, etc.,)	<u></u>				
Show tests,		nt zones of	orosity and	l contents t			l all drill-stem shut-in pressures	31. Formatic	on (Log) Markers	
For	rmation	Тор	Bottom		Descrip	otions, Content	s, etc.		Name	Top Meas. Depth
Green	ch	1,907 5,388				Y	•			
32. Addi	tional remark	s (include	plugging pr	ocedure):					200 - 100 - 136 -	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							Divisik Oli, CAL Ab	in of
1. E 5. S	le enclosed at lectrical/Mec undry Notice	hanical Log for pluggin	g and ceme	ent verificat	tion 5.	Geologic Rep Core Analysi	s 7. O		4. Directional Survey	
					rmation is com	nplete and corre			records (see attached insti	ructions)*
	e (please prin) <u>Cner</u>	\sim		<u> </u>		Title _		y Analyst	
Signa		vacy.		mein			Date _	9/27/2001		
Title 18 U States an	J.S.C. Sectior y false, fictiti	1001 and T ous or frau	Title 43 U.S. dulent state	.C. Section ements or re	1212, make it epresentations	a crime for any as to any matt	person knowingly er within its jurisd	and willfully to maiction.	ake to any department or a	gency of the United

o U.S. GPO: 1999-573-624

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH /	4-KAS
2. CDW	5-LP
3. JLT	6-FILE

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

X Merger

The operator of	the well(s) listed belo	w has change	ed, effective:	3-09-200)1	-	_		
FROM: (Old Operator):				TO: (New Operator):					
COASTAL OIL & GAS COR	PORATION			EL PASO	PRODUCTIO	N OIL & G	AS COMI	PANY	
Address: 9 GREENWAY PLA	AZA STE 2721			Address:	9 GREENWA	AY PLAZA	STE 2721	RM 2975	
		·							
HOUSTON, TX 77046-0995				HOUSTO	N, TX 77046-)995	-		
Phone: 1-(713)-418-4635				Phone:	1-(832)-676-4	1 721			
Account N0230				Account	N1845				
							_		
		CA No.		Unit:	-				
WELL(S)					-				
WEEE(S)	<u> </u>		API	ENTITY	SEC TWN	LEASE	WELL	WELL	
NAME		- 1	NO	NO	RNG	TYPE	TYPE	STATUS	
K SNOW KNIGHT 4 23	(9C-191)		43-047-30749	130	04-09S-20E	INDIAN	GW	P	
TRIBAL 4-122	(9C-191)		43-047-33717	99999	04-09S-20E	INDIAN	GW	APD	
TRIBAL 1 WELL 54	(UTU 76246)		43-047-32467	11850	01-09S-21E	INDIAN	GW	P	
MCCOOK 1-66	(UTU 76246)	4	43-047-33336	12561	01-09S-21E	INDIAN	GW	P	
TRIBAL 1-125	(UTU 76246)		43-047-33414	12805	01-09S-21E	INDIAN	GW	P	
TRIBAL 1-126	, ,	- 1,	43-047-33415	12804	01-09S-21E	INDIAN	GW	P	
MCCOOK 1-142	(UTU 76246)		43-047-33455	12790	01-09S-21E	INDIAN	GW	P	
TRIBAL 1-163	(UTU 76246)	1	43-047-33747	13148	01-09S-21E	INDIAN	GW	P	
ANKERPONT ETAL 2 6	(9C-187)	1	43-047-30572	75	02-09S-21E	INDIAN	GW	P	
TRIBAL 2 WELL 50	(9C-187)	4	43-047-32698	11868	02-09S-21E	INDIAN	GW	P	
TRIBAL 2-102	(9C-187)		43-047-33379	13023	02-09S-21E	INDIAN	GW	DRL	
PAWWINNEE ETAL 3 10	(9C-186)	[,	43-047-30662	85	03-09S-21E	INDIAN	GW	P	
SHOYO 37A			43-047-32655	11737	03-09S-21E	INDIAN	GW	S	
SHOYO 3-59	(9C-186)	4	43-047-33277	12553	03-09S-21E	INDIAN	GW	P	
OURAY 3-74	(9C-186)		43-047-33278	99999	03-09S-21E	INDIAN	GW	APD	
OURAY 3-75	(9C-186)		43-047-33279	99999	03-09S-21E	INDIAN	GW	APD	
BHOYO 3-162	(9C-186)		43-047-33868	13242	03-09S-21E	INDIAN	GW	DRL	
SERAWOP 4-13	(84C-725)		43-047-30663	191	04-09S-21E	INDIAN	GW	P	
BLUE FEATHER 4-30	(84C-721)		43-047-31000	190	04-09S-21E	INDIAN	GW	P	
SERAWOP 4-103	(84C-725)	4	43-047-33376	99999	04-09S-21E	INDIAN	GW	APD	

1.	(R649-8-10) Sundry or legal documentation was received from the FORMER operator on:	06/19/2001	
	(R649-8-10) Sundry or legal documentation was received from the NEW operator on: The new company has been checked through the Department of Commerce , Division of Corporati	06/19/2001 ons Database on:	06/21/2001
4.	Is the new operator registered in the State of Utah: YES Business Number:	608186-0143	-

5.	If NO , the operator was contacted on: N/A
6.	Federal and Indian Lease Wells: The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 08/16/2001
7.	Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: 07/10/2001
8.	Federal and Indian Communization Agreements ("CA"): The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: 08/16/2001
9.	Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A
D A	ATA ENTRY: Changes entered in the Oil and Gas Database on: 09/04/2001
2.	Changes have been entered on the Monthly Operator Change Spread Sheet on: 09/04/2001
3.	Bond information entered in RBDMS on: N/A
4.	Fee wells attached to bond in RBDMS on: N/A
ST 1.	State well(s) covered by Bond No.: N/A
FF	CDERAL BOND VERIFICATION:
1.	Federal well(s) covered by Bond No.: N/A
IN 1.	DIAN BOND VERIFICATION: Indian well(s) covered by Bond No.: 103601473
FF	E WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:
1.	(R649-3-1) The NEW operator of any fee well(s) listed covered by Bond No: N/A
	The FORMER operator has requested a release of liability from their bond on: N/A The Division sent response by letter on: N/A
3.	(R649-2-10) The FORMER operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:
FI	LMING:
1.	All attachments to this form have been MICROFILMED on:
	LING: ORIGINALS/COPIES of all attachments pertaining to each individual well have been filled in each well file on:
	MMENTS: Master list of all wells involved in operator change from Coastal Oil & Gas Corporation to El Paso oduction Oil and Gas Company shall be retained in the "Operator Change File".

*

ĸ



United States Department of the Interior RECEIVED

BUREAU OF LAND MANAGEMENT

FEB 2 2 2002

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

DIVISION OF DIL. GAS AND MINING

In Reply Refer To: 3106 UTU-25566 et al (UT-924)

FEB 2 1 2002

NOTICE

Westport Oil and Gas Company L.P.

Oil and Gas

410 Seventeenth Street, #2300

Denver Colorado 80215-7093

.

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of <u>Westport Oil</u> and <u>Gas Company, Inc.</u> into <u>Westport Oil and Gas Company, L.P.</u> with <u>Westport Oil and Gas Company, L.P.</u> being the surviving entity.

For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405 UTU-20895 UTU-25566 UTU-43156 UTU-49518 UTU-49519 UTU-49522 UTU-49523

Robert Lopez
Chief, Branch of
Minerals Adjudication

cc: Moab Field Office

Vernal Field Office

MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217 State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114 Teresa Thompson (UT-922)

Joe Incardine (UT-921)

UNITED STATES GOVERNMENT

memorandu

Branch of Real Estate Services Uintah & Ouray Agency

· >

Date:

5 December, 2002

Reply to Attn of:

Supervisory Petroleum Engineer

Subject:

Modification of Utah Division of Oil, Gas and Mining Regulations

To:

Director, Utah Division of Oil, Gas and Mining Division: John Baza

We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved

We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate you concern, and hope that these comments are timely enough for consideration in the revision process. leades H Cameron

CC:

Minerals & Mining Section of RES

Ute Energy & Mineral Resources Department: Executive Director

chrono

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING 5. LE	5. LEASE DESIGNATION AND SERIAL NUMBER:			
SUNDRY NOTICES AND REPORTS ON WELLS 6. IF	INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	IIT or CA AGREEMENT NAME:			
OIL WELL L.L. GAS WELL L.L. OTHER	ELL NAME and NUMBER: nibit "A"			
2. NAME OF OPERATOR: El Paso Production Oil & Gas Company	I NUMBER:			
	IELD AND POOL, OR WILDCAT:			
4. LOCATION OF WELL				
FOOTAGES AT SURFACE: COUN	ITY:			
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE	E: UTAH			
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, C	OR OTHER DATA			
TYPE OF SUBMISSION TYPE OF ACTION				
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION			
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL			
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON			
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR			
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE			
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	WATER DISPOSAL .			
(Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF			
Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER:			
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION				
DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 2800, [effective December 17, 2002.	Denver, CO. 80202-4800,			
BOND #				
State Surety Bond No. RLB0005236	RECEIVED			
EL PASO PRODUCTION OIL & GAS COMPANY				
	FEB 2 8 2003			
	OF OIL, GAS & MINING			
By: m./////				
Jon R. Nelsen, Attorney-in-Fact				
WESTPORT OIL AND GAS COMPANY, L.P. David R. Dix Agent and Attorney-in-	Fact			
SIGNATURE DATE				

(This space for State use only)

THIS SPACE FOR FEDERAL OR STATE USE Approved by Title Date Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject leave which would entitle the applicant to conduct operations thereon. Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS Washington, D.C. 20240 FEB 1 0 2003

Carroll A. Wilson Principal Landman Westport Oil and Gas Company, L.P. 1368 South 1200 East Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,

<u>ACTING</u>

Director, Office of Trust Responsibilities

Enclosure

JAN. 17. 2003 3:34PM





NO. 173 P. 2



410 Seventeenth Street #2300 Deriver Colorado 60202-4436 Telephone: 303 573 5404 Faxt: 303 573 5609

February 1, 2002

Department of the Interior Bureau of Land Management 2850 Youngfield Street Lakewood, CO 80215-7093 Attention: Ms. Martha Maxwell

RE: BLM Bond CO+1203

BLM Nationwide Bond 158626364
Surety — Commental Casualty Company
Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.

Assumption Rider - Westport Oil and Gas Company, L.P.

Dear Ms. Maxwell:

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

Two (2) Assumption Riders, fully executed originals.

Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc. Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.

List of all Federal/BIA/State Leases - Belco/Westport's leases - in all states.

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

Sincerely,

Westport Oil and Gas Company, L.P.

Debby J. Black

Engineer Technicien

Engl:

OPERATOR CHANGE WORKSHEET

1. GLH 2. CDW

3. FILE

X Change of Operator (Well Sold)

5. If **NO**, the operator was contacted contacted on:

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed,	effective:	12-17-02			_				
FROM: (Old Operator):		TO: (New Op	erator):						
EL PASO PRODUCTION OIL & GAS COMPANY		WESTPORT C		COMPANY	LP				
Address: 9 GREENWAY PLAZA	1	Address: P O B							
Tradebook y Gradult 11 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1								
HOUSTON, TX 77064-0995	1	VERNAL, UT	84078						
Phone: 1-(832)-676-5933	1	Phone: 1-(435)	-781-7023						
Account No. N1845		Account No.	N2115						
CA No.		Unit:							
WELL(S)									
	SEC TWN	API NO	ENTITY	LEASE	WELL	WELL			
NAME	RNG		NO	TYPE	TYPE	STATUS			
TRIBAL 1-205	02-09S-21E	43-047-34524	99999	INDIAN	GW	APD			
TRIBAL 2-206	02-09S-21E	43-047-34478	13541	INDIAN	GW	P			
TRIBAL 2-207	02-09S-21E	43-047-34569	99999	INDIAN	GW	APD			
TRIBAL 2-102	02-09S-21E	43-047-33379	13023	INDIAN	GW	P			
TRIBAL 2 50	02-09S-21E	43-047-32698	11868	INDIAN	GW	P			
ANKERPONT 2-6	02-09S-21E	43-047-30572	75	INDIAN	GW	P			
PAWWINNEE ETAL 3-10	03-09S-21E	43-047-30662	85	INDIAN	GW	P			
SHOYO 37		43-047-32535		INDIAN	GW	PA			
SHOYO 37 37A	03-09S-21E	43-047-32655	11737	INDIAN	GW	S			
SHOYO 3-59	03-09S-21E	43-047-33277	12553	INDIAN	GW	P			
SHOYO 3-162	03-09S-21E	43-047-33868	13242	INDIAN	GW	P			
PÁWWINNEE 3-181	03-09S-21E	43-047-34019	13283	INDIAN	GW	P			
OURAY 3-74		43-047-33278		INDIAN	GW	APD			
OURAY 3-75		43-047-34424		INDIAN	GW	APD			
SERAWOP 4-13		43-047-30663		INDIAN	GW	P			
SERAWOP 4-46		43-047-33504		INDIAN	GW	APD			
SERAWOP 4-103		43-047-33376		INDIAN	GW	APD			
BLUE FEATHER 4-30 (CR-84C721)		43-047-31000		INDIAN	GW	P			
SANTIO 4-191		43-047-34048		INDIAN	GW	APD			
CESSPOOCH ETAL 5 14 (CR-4)	05-09S-21E	43-047-30675	90	FEDERAL	<u>GW</u>	P			
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 02/28/2003									
2. (R649-8-10) Sundry or legal documentation was received to	from the NEW	operator on:	03/04/2003	3					
3. The new company has been checked through the Departm	ent of Comm	erce, Division o	of Corpora	tions Databa	ase on:	03/06/2003			
4. Is the new operator registered in the State of Utah:	YES	Business Numb	er: 1	355743-018	1				

6. (R649-9-2)Waste Management Plan has been received on:	: IN PLACE			
7.	Federal and Indian Lease Wells: The BLM an or operator change for all wells listed on Federal or India			name change, IA-12/5/02	
8.	Federal and Indian Units: The BLM or BIA has approved the successor of unit of	perator for wells listed on:	02/27/2003		
9.	Federal and Indian Communization Agreed The BLM or BIA has approved the operator for all we		01/09/2003		
10.	Underground Injection Control ("UIC") for the enhanced/secondary recovery unit/project for the	The Division has approve water disposal well(s) lister		ransfer of Author N/A	ity to Inject,
D A	TA ENTRY: Changes entered in the Oil and Gas Database on:	03/26/2003			
2.	Changes have been entered on the Monthly Operator C	Change Spread Sheet on:	03/26/2003		
3.	Bond information entered in RBDMS on:	<u>N/A</u>			
4.	Fee wells attached to bond in RBDMS on:	N/A			
ST 1.	ATE WELL(S) BOND VERIFICATION: State well(s) covered by Bond Number:	RLB 0005236	1		
	DERAL WELL(S) BOND VERIFICATION Federal well(s) covered by Bond Number:	158626364		:	
	DIAN WELL(S) BOND VERIFICATION: Indian well(s) covered by Bond Number:	RLB 0005239	······································		
	E WELL(S) BOND VERIFICATION: (R649-3-1) The NEW operator of any fee well(s) listed	covered by Bond Number	RLB 0005238		
	The FORMER operator has requested a release of liabilithe Division sent response by letter on:	ty from their bond on:N/A	N/A		
3. (ASE INTEREST OWNER NOTIFICATION (R649-2-10) The FORMER operator of the fee wells has of their responsibility to notify all interest owners of this	s been contacted and informe	ed by a letter from	the Division	
СО	MMENTS:				

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

ROUTING						
1. DJJ						
2. CDW						

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:			1/6/2006			
FROM: (Old Operator): N2115-Westport Oil & Gas Co., LP 1368 South 1200 East Vernal, UT 84078	TO: (New Operator): N2995-Kerr-McGee Oil & Gas Onshore, LP 1368 South 1200 East Vernal, UT 84078					
Phone: 1-(435) 781-7024	Phone: 1-(435)	781-7024				
CA No.	Unit:					
WELL NAME SEC TWN RNG	API NO	ENTITY	LEASE	WELL	WELL	
	,	NO	TYPE	TYPE	STATUS	
 4b. If NO, the operator was contacted contacted on: 5a. (R649-9-2)Waste Management Plan has been received on: 5b. Inspections of LA PA state/fee well sites complete on: 5c. Reports current for Production/Disposition & Sundries on: 6. Federal and Indian Lease Wells: The BLM and or the E or operator change for all wells listed on Federal or Indian leases of 7. Federal and Indian Units: 	NEW operator Division of Co Business Numb IN PLACE n/a ok BIA has appron	on: orporation oer: oved the r BLM	1355743-018 nerger, nar 3/27/2006	on: 81 me chan	3/7/2006 ge, not yet	
The BLM or BIA has approved the successor of unit operator for			3/27/2006			
8. Federal and Indian Communization Agreements ("C	,		1.			
The BLM or BIA has approved the operator for all wells listed w 9. Underground Injection Control ("UIC") The Direction Control ("UIC")	vision has appro	wed LIIC E	n/a Form 5. Tran	efor of A	uthority to	
Inject, for the enhanced/secondary recovery unit/project for the wa				131¢1 ()1 21	umorny to	
DATA ENTRY:	ter disposar wer	ii(s) listed (л.			
 Changes entered in the Oil and Gas Database on: Changes have been entered on the Monthly Operator Change Sp. Bond information entered in RBDMS on: Fee/State wells attached to bond in RBDMS on: Injection Projects to new operator in RBDMS on: Receipt of Acceptance of Drilling Procedures for APD/New on: 	5/15/2006 read Sheet on: 5/15/2006 5/16/2006	n/a	5/15/2006 Name Char	-		
BOND VERIFICATION:		II G	Tigriic Char	igo Omy		
 Federal well(s) covered by Bond Number: Indian well(s) covered by Bond Number: (R649-3-1) The NEW operator of any fee well(s) listed covered by The FORMER operator has requested a release of liability from the The Division sent response by letter on: LEASE INTEREST OWNER NOTIFICATION: 		n/a 	RLB000523 rider adde	_		
4. (R649-2-10) The FORMER operator of the fee wells has been contained.		•		Division		
of their responsibility to notify all interest owners of this change on:		5/16/2006				
COMMENTS:						

⁴ Form 3 160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB No. 1004-0135 Expires Inovember 30, 2000

BUREAU OF LAND MANAGEMENT

5. Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

abandoned well.	Use Form 3160-3 (APD) for such proposa	ıls.			
SUBMIT IN TRIPL	ICATE – Other instru	ıctions on revers	e side	7. If Unit or CA/Agreen	nent, Name and/or No.	
1. Type of Well						
Oil Well Gas Well 2. Name of Operator	U Other			8. Well Name and No.		
·		MUTIPLE WELLS				
KERR-McGEE OIL & GAS	ONSHORE LP	9. API Well No.				
3a. Address	3b. Phone No. (incli	ude area code)				
1368 SOUTH 1200 EAST \	(435) 781-7024		10. Field and Pool, or Ex	ploratory Area		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11 6		
SEE ATTACHED			11. County or Parish, State			
OLL ATTAONED		,	UTAH			
12. CHECK APP	ROPRIATE BOX(ES) TO I	INDICATE NATURE	OF NOTICE, I	REPORT, OR OTHER D	ATA	
TYPE OF SUBMISSION	TYPE OF ACTION					
Notice of Intent	Acidize Alter Casing	Deepen Fracture Treat	Production	·	er Shut-Off Integrity	
Subsequent Report	Casing Repair Change Plans	New Construction Plug and Abandor	Recomple	te 🗓 Othe	r CHANGE OF RATOR	
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disp	·		
following completion of the involved testing has been completed. Final A determined that the site is ready for fin PLEASE BE ADVISED THA OPERATOR OF THE ATTA	bandonment Notices shall be file al inspection. T KERR-McGEE OIL & CHED WELL LOCATIO	d only after all requirem GAS ONSHORE	ents, including recla LP, IS CONS JANUARY 6	amation, have been completed SIDERED TO BE TH	I, and the operator has	
KERR-McGEE OIL & GAS C					MAY 1 0 2006	
OF THE LEASE(S) FOR TH	E OPERATIONS CON	DUCTED UPON I	EASE LAND	S. BOND COVERAG	BE .	
IS PROVIDED BY STATE O		E BOND NO. RLB	0005237. DDD (XV E	D 61/610	$_{m{Z}}$ DIV. OF OIL, GAS & MINING	
BLM B	ONO = C0/203	3	PROVE	<u>שו שון שי</u> עי	DIV. OF OIL, GAS & MINING	
BIA B	OND = RLB 00	05239	Carlone	Kussell		
14. I hereby certify that the foregoin	g is true and correct		vision or Oil,	Cas and winning		
Name (Printed/Typed) RANDY BAYNE		DRILLING MA		Engineering Technic	SIAN	
Signature		Date	ואטבול			
Kanky & Sayne		May 9, 2006				
Approved by	THIS SPACE	FOR FEDERAL OR	STATE USE			
rippioved by		Title		Date		
Conditions of approval, if any, are attached certify that the applicant holds legal or equi which would entitle the applicant to conduct	table title to those rights in the sub	warrant or Office				

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any

false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3 160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135 Expires Inovember 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.

۷l	JLTIPLE LEASES	
6.	If Indian, Allottee or Tribe Name	

abandoned well.	Use Form 3160-3 (APD) f	or such proposals.				
SUBMIT IN TRIPLICATE – Other instructions on reverse side					7. If Unit or CA/Agreement, Name and/or No.	
I. Type of Well						
Oil Well X Gas Well Other					8. Well Name and No.	
2. Name of Operator					E WELLS	
WESTPORT OIL & GAS CO				9. API Well	No.	
3a. Address 3b. Phone No. (include area code)						
1368 SOUTH 1200 EAST V	(435) 781-7024		Pool, or Exploratory Area			
4. Location of Well (Footage, Sec.,	1., R., M., or survey Description,	,	-	II. County on	Desire Contra	
SEE ATTACUED					Parish, State	
SEE ATTACHED				UINTAH COUNTY, UTAH		
12. CHECK APP	ROPRIATE BOX(ES) TO IN	DICATE NATURE OF	NOTICE, RE	EPORT, OR C	OTHER DATA	
TYPE OF SUBMISSION						
Notice of Intent	Acidize	Deepen	= '	Start/Resume)	Water Shut-Off	
Subsequent Report	Alter Casing	Fracture Treat	Reclamation	l	Well Integrity	
Subsequent Report	Casing Repair Change Plans	New Construction Plug and Abandon	Recomplete Temporarily	Abandon	Other CHANGE OF OPERATOR	
Final Abandonment Notice	Convert to Injection	Plug Back	Water Dispo		OI EIGHOR	
EFFECTIVE JANUARY 6, 20 THE OPERATORSHIP OF 1						
APPROVED 5/6/06 Carlow Russell Division of Oil, Gas and Mining					RECEIVED MAY 1 0 2006	
	Earlene K	or Oil, Gas and Min ussell, Engineering	ing Technician	D	IV OF OIL GAS & MINING	
14. I hereby certify that the foregoin Name (Printed/Typed) BRAD LANEY	g is true and correct	Title ENGINEERING S	SPECIALIST		1	
Signature		Date				
	TUIC CDACE	May 9, 2006 FOR FEDERAL OR STA	ATE USE			
Approved by	THIS SPACE	Title	ATE USE	Date		
God Janus		Tiue			7-06	
Conditions of approved, if any, are attacked certify that the applicant holds legal of equi which would entitle the applicant to conduc	itable title to those rights in the subje-	rrant or Office ct lease		<u> </u>		
Title 18 U.S.C. Section 1001, make false, fictitious or fraudulent stateme	it a crime for any person know			rtment or agen	cy of the United States any	